

1,200  
30.03% 850 42.61%  
5,000 12.58%

" + "

1,200 42.61%  
850 12.58% 5,000 30.03%  
67%

2188 511

500

		1997	11	4	2015	12	31
20.45		177.62			-157.17	2015	
100.99	2015			-27.41			

252 2

/

1

"

"

2

2015 6 1

100%

30.03%

12.58%

**3330**

210

2011 5 20

"

"

"

"

2011

" 330

"

2012

"

"

"

"

5

6

3

3

			%
	2330	2330	69.97
	1000	1000	30.03
			100%

			%
	1911	1911	57.39%
	1419	1419	42.61%
			100%

5,000

2,461

3,330

5,791

			%
	3880	3880	67%
	1911	1911	33%
			100%

"

"

PH CO2 O2

/ /

---

	2015	12	31		1357.33	,
263.07			1094.25	2015		0
	-373.85					

1

2

1000

30.03%

2.1

1200

2.2

2.3

3

3.1

7

3.2

30

3.3	4.2		
30	(		
)			
4			
4.1			
4.2			
5			
6	,		
( )			
1			
2			
	419		12.58%
2.1		850	
2.2			

2.3

2.4

3

3.1

7

3.1.1

3.1.2

3.1.3

( )

3.1.4

( )

3.1.5

3.1.6

3.1.7

3.2

30

4

4.1

4.2

5

6

,

1

( )

( )

2

2.1

2.1.1

2.1.2

3

3.1

			%
	2330	2330	69.97
	1000	1000	30.03
			100%

3.2



			%
	1911	1911	57.39%
	1419	1419	42.61%
			100%

3.3

2461

5000

3.4

			%
	3880	3880	67%
	1911	1911	33%
			100%

3.5

3.5.1

FDA

3.5.2

3.6

3.5.1

3.5.2

3.6

3.7

3. 6. 1 10%

3. 6. 2 10% 10%

1 /

3. 7

/

4

4. 1

7

4. 1. 1

4. 1. 2

4. 1. 3

( )

4. 1. 4

( )

4. 1. 5

4. 1. 6

4. 1. 7

4. 2

30

4.3

5

5.1

3

2

1

1

2016 4 6